


**ONTARIO COURT OF JUSTICE**

***PROVINCIAL OFFENCES ACT***

**IT IS ORDERED**, pursuant to the provisions of the *Provincial Offences Act* and the rules for the Ontario Court of Justice, that the amount set opposite each of the offences in the attached Items of Schedule 41.3 under the Provincial Statutes and Regulations thereunder is the Set Fine.

This Order comes into effect on the 1<sup>st</sup> day of July 2018

**DATED AT TORONTO** this 20<sup>th</sup> day of June 2018

  
.....  
**Lise Maisonneuve, Chief Justice**  
**Ontario Court of Justice**

Ontario Court of Justice  
July 1, 2018

**Schedule 41.3**

O. Reg. 503/17 made under the *Health Protection and Promotion Act*

<b>Item</b>	<b>Offence</b>	<b>Section</b>	<b>Set Fine</b>
1.	Fail to report name of operator at least 14 days before commencing operation of camp	section 2	\$55
2.	Fail to report contact information of operator at least 14 days before commencing operation of camp	section 2	\$55
3.	Fail to report location of camp at least 14 days before commencing operation of camp	section 2	\$55
4.	Fail to notify of change of operator's name within 14 days	section 3	\$55
5.	Fail to notify of change to operator contact information within 14 days	section 3	\$55
6.	Fail to notify of change to camp location within 14 days	section 3	\$55
7.	Fail to immediately notify of outbreak of communicable disease	section 4	\$465
8.	Fail to immediately notify of suspected outbreak of communicable disease	section 4	\$305
9.	Fail to promptly notify that camp closed	clause 5 (a)	\$55
10.	Fail to promptly notify that camp abandoned	clause 5 (a)	\$55
11.	Fail to ensure closed camp left in sanitary condition	clause 5 (b)	\$55
12.	Fail to ensure abandoned camp left in sanitary condition	clause 5 (b)	\$55
13.	Owner fail to ensure operator trained in administration of camp	section 6	\$55
14.	Owner fail to ensure operator trained in management of camp	section 6	\$120
15.	Owner fail to ensure operator trained in operation of camp	section 6	\$120
16.	Owner fail to ensure operator trained in camp's safety procedures	section 6	\$120

17.	Fail to post inspection results in accordance with inspector's request	section 7	\$120
18.	Fail to ensure every camper free of communicable disease	section 8	\$305
19.	Fail to ensure every staff member free of communicable disease	section 8	\$305
20.	Operate camp — allow animal susceptible to rabies into camp without rabies immunization certificate	clause 9 (a)	\$120
21.	Operate camp — allow animal susceptible to rabies into camp without certificate attesting to current rabies immunization	clause 9 (a)	\$120
22.	Operate camp — allow animal susceptible to rabies into camp with last rabies immunization less than 30 days before	clause 9 (b)	\$120
23.	Fail to develop yearly camp safety plan before opening or operating camp	subsection 10 (1)	\$305
24.	Fail to submit written camp safety plan to M.O.H. or public health inspector	subsection 10 (1)	\$55
25.	Camp safety plan — fail to include safety plans	subsection 10 (2)	\$120
26.	Camp safety plan — fail to include safety procedures	subsection 10 (2)	\$120
27.	Camp safety plan — fail to include procedures for maintaining camper records	clause 10 (2) (a)	\$55
28.	Camp safety plan — fail to include procedures for maintaining health and safety incident records	clause 10 (2) (b)	\$55
29.	Camp safety plan — fail to include communicable disease control	clause 10 (3) (a)	\$120
30.	Camp safety plan — fail to include fire safety	clause 10 (3) (b)	\$120
31.	Camp safety plan — fail to describe land-based activities	clause 10 (3) (c)	\$55
32.	Camp safety plan — fail to describe water-based activities	clause 10 (3) (c)	\$120
33.	Camp safety plan — fail to identify risks associated with land-based activities	clause 10 (3) (c)	\$55
34.	Camp safety plan — fail to identify risks associated with water-based activities	clause 10 (3) (c)	\$120

*Am*

35.	Camp safety plan — fail to identify risk-control strategy for land-based activities	clause 10 (3) (c)	\$55
36.	Camp safety plan — fail to identify risk-control strategy for water-based activities	clause 10 (3) (c)	\$120
37.	Camp safety plan — fail to identify strategy to minimize risks associated with land-based activities	clause 10 (3) (c)	\$55
38.	Camp safety plan — fail to identify strategy to minimize risks associated with water-based activities	clause 10 (3) (c)	\$120
39.	Camp safety plan — fail to include supervision procedures for land-based activities	clause 10 (3) (c)	\$55
40.	Camp safety plan — fail to include supervision procedures for water-based activities	clause 10 (3) (c)	\$120
41.	Camp safety plan — fail to include waterfront safety	clause 10 (3) (d)	\$305
42.	Camp safety plan — fail to include availability of waterfront safety equipment	clause 10 (3) (d)	\$120
43.	Camp safety plan — fail to include availability of waterfront communication devices	clause 10 (3) (d)	\$120
44.	Camp safety plan — fail to include availability of waterfront communication procedures	clause 10 (3) (d)	\$120
45.	Camp safety plan — fail to include list of staff members with current first aid certificate	clause 10 (3) (e)	\$120
46.	Camp safety plan — fail to include minimum ratios of staff members to campers	clause 10 (3) (f)	\$55
47.	Fail to ensure health and safety incidents recorded in accordance with camp safety plan	subsection 10 (4)	\$55
48.	Fail to ensure continuous supervision of campers by adult with current first aid certificate	section 11	\$55
49.	Fail to ensure medical aid present at camp	subsection 12 (1)	\$305
50.	Fail to ensure immediate availability of physician services in case of medical emergency	subsection 12 (2)	\$465

*lm*

51.	Fail to ensure campers under 13 years of age under continuous supervision of experienced staff member	clause 13 (1) (a)	\$305
52.	Fail to ensure campers with special needs under continuous supervision of experienced staff member	clause 13 (1) (a)	\$305
53.	Fail to determine appropriate minimum ratio of staff to campers under 13 years of age	clause 13 (1) (b)	\$120
54.	Fail to determine appropriate minimum ratio of staff to campers with special needs	clause 13 (1) (b)	\$120
55.	Fail to ensure ratio of staff to campers under 13 years of age maintained at all times	clause 13 (1) (c)	\$120
56.	Fail to ensure ratio of staff to campers with special needs maintained at all times	clause 13 (1) (c)	\$120
57.	Fail to determine appropriate minimum ratio of staff to campers 13 years of age or older	clause 13 (2) (a)	\$120
58.	Fail to ensure ratio of staff to campers 13 years of age or older maintained at all times	clause 13 (2) (b)	\$120
59.	Fail to ensure camp located in accordance with Building Code	clause 14 (a)	\$55
60.	Fail to ensure camp constructed in accordance with Building Code	clause 14 (a)	\$55
61.	Fail to ensure camp maintained in accordance with Building Code design requirements	clause 14 (b)	\$55
62.	Fail to ensure camp maintained in accordance with Building Code construction requirements	clause 14 (b)	\$55
63.	Fail to ensure camp maintained in accordance with Building Code installation requirements	clause 14 (b)	\$55
64.	Fail to ensure camp free from dangerous condition	clause 14 (c)	\$465
65.	Fail to ensure camp maintained in sanitary condition	clause 14 (d)	\$120
66.	Fail to ensure camp water obtained from approved source	clause 15 (1) (a)	\$465

*Am*

67.	Fail to ensure water supply sufficient to meet requirements of camp	clause 15 (1) (b)	\$305
68.	Fail to ensure potable water for human consumption	subsection 15 (2)	\$465
69.	Fail to treat water to render it potable as required	clause 15 (4) (a)	\$465
70.	Fail to keep record of kind of water treatment	clause 15 (4) (b)	\$55
71.	Fail to keep record of method of water treatment	clause 15 (4) (b)	\$55
72.	Fail to keep water treatment record on premise for one year	clause 15 (4) (b)	\$55
73.	Fail to ensure camp maintained to prevent entry of pests	clause 16 (a)	\$55
74.	Fail to ensure camp operated to prevent entry of pests	clause 16 (a)	\$120
75.	Fail to ensure camp maintained to prevent harbouring of pests	clause 16 (a)	\$55
76.	Fail to ensure camp operated to prevent harbouring of pests	clause 16 (a)	\$120
77.	Fail to ensure camp maintained to prevent breeding of pests	clause 16 (a)	\$55
78.	Fail to ensure camp operated to prevent breeding of pests	clause 16 (a)	\$120
79.	Fail to maintain records of pest control measures	clause 16 (b)	\$55
80.	Fail to maintain records of pest control measures for one year	clause 16 (b)	\$55
81.	Fail to ensure sanitary facilities maintained in accordance with Building Code design requirements	subsection 17 (1)	\$55
82.	Fail to ensure sanitary facilities maintained in accordance with Building Code construction requirements	subsection 17 (1)	\$55
83.	Fail to ensure sanitary facilities maintained in accordance with Building Code installation requirements	subsection 17 (1)	\$55
84.	Fail to ensure sanitary facility sanitary	subsection 17 (2)	\$55
85.	Fail to ensure sanitary facility properly equipped	subsection 17 (2)	\$55
86.	Fail to ensure sanitary facility in good repair	subsection 17 (2)	\$55
87.	Fail to ensure sanitary facility equipped	clause 17 (3) (a)	\$55

	with hot and cold running water		
88.	Fail to ensure sanitary facility equipped with toilet paper	clause 17 (3) (b)	\$55
89.	Fail to ensure sanitary facility equipped with waste receptacle	clause 17 (3) (c)	\$55
90.	Fail to ensure sanitary facility equipped with durable waste receptacle	clause 17 (3) (c)	\$55
91.	Fail to ensure sanitary facility equipped with an easy-to-clean waste receptacle	clause 17 (3) (c)	\$55
92.	Fail to ensure sanitary facility equipped with soap or detergent	clause 17 (3) (d)	\$55
93.	Fail to ensure sanitary facility equipped with towels or dryer	clause 17 (3) (e)	\$55
94.	Fail to obtain written approval before altering floor space in sanitary facility	subsection 17 (5)	\$55
95.	Fail to obtain written approval before altering number of toilets in sanitary facility	subsection 17 (5)	\$55
96.	Fail to obtain written approval before altering number of washbasins in sanitary facility	subsection 17 (5)	\$55
97.	Fail to ensure garbage collected when necessary to maintain sanitary condition	section 18	\$120
98.	Fail to ensure waste collected when necessary to maintain sanitary condition	section 18	\$120
99.	Fail to ensure garbage removed when necessary to maintain sanitary condition	section 18	\$120
100.	Fail to ensure waste removed when necessary to maintain sanitary condition	section 18	\$120
101.	Fail to ensure food premises comply with Part III of Food Premises Regulation	section 19	\$120
102.	Fail to ensure food premises comply with Part IV of Food Premises Regulation	section 19	\$120
103.	Fail to ensure food premises comply with Part VI of Food Premises Regulation	section 19	\$305
104.	Operate camp - fail to maintain ventilation system to ensure elimination of odours	section 20	\$55
105.	Operate camp — fail to maintain ventilation system to ensure elimination of fumes	section 20	\$55
106.	Operate camp — fail to maintain ventilation system to ensure elimination	section 20	\$55

*Am*

	of vapours		
107.	Operate camp — fail to maintain ventilation system to ensure elimination of smoke	section 20	\$120
108.	Operate camp — fail to maintain ventilation system to ensure elimination of excessive heat	section 20	\$120
109.	Operate camp — sleeping area not maintained in accordance with Building Code design requirements	subsection 21 (1)	\$55
110.	Operate camp — sleeping area not maintained in accordance with Building Code construction requirements	subsection 21 (1)	\$55
111.	Operate camp — sleeping area not maintained in accordance with Building Code installation requirements	subsection 21 (1)	\$55
112.	Operate camp — mattresses not in sanitary condition	subsection 21 (2)	\$55
113.	Operate camp — blankets not in sanitary condition	subsection 21 (2)	\$55
114.	Operate camp — pillows not in sanitary condition	subsection 21 (2)	\$55
115.	Operate camp — pillow cases not in sanitary condition	subsection 21 (2)	\$55
116.	Operate camp — mattresses not in sufficient supply	subsection 21 (2)	\$55
117.	Operate camp — blankets not in sufficient supply	subsection 21 (2)	\$55
118.	Operate camp — pillows not in sufficient supply	subsection 21 (2)	\$55
119.	Operate camp — pillow cases not in sufficient supply	subsection 21 (2)	\$55
120.	Operate camp — washing area not maintained in accordance with Building Code design requirements	subsection 22 (1)	\$55
121.	Operate camp — washing area not maintained in accordance with Building Code construction requirements	subsection 22 (1)	\$55
122.	Operate camp — washing area not maintained in accordance with Building Code installation requirements	subsection 22 (1)	\$55
123.	Operate camp — bathing area not maintained in accordance with Building	subsection 22 (1)	\$55



	Code design requirements		
124.	Operate camp — bathing area not maintained in accordance with Building Code construction requirements	subsection 22 (1)	\$55
125.	Operate camp — bathing area not maintained in accordance with Building Code installation requirements	subsection 22 (1)	\$55
126.	Operate camp — laundering area not maintained in accordance with Building Code design requirements	subsection 22 (1)	\$55
127.	Operate camp — laundering area not maintained in accordance with Building Code construction requirements	subsection 22 (1)	\$55
128.	Operate camp — laundering area not maintained in accordance with Building Code installation requirements	subsection 22 (1)	\$55
129.	Operate camp — no hot and cold water in laundering facility	subsection 22 (2)	\$55
130.	Fail to ensure illumination levels maintained in accordance with Building Code	section 23	\$55
131.	Fail to ensure required illumination maintained during all hours of operation	section 23	\$55
132.	Fail to ensure waterfront areas used for aquatic activities supervised by lifeguard	subsection 24 (1)	\$305
133.	Fail to ensure lifeguard is at least 16 years of age	subsection 24 (1)	\$55
134.	Fail to ensure lifeguard holds lifeguard certificate obtained within previous two years	subsection 24 (1)	\$305
135.	Fail to ensure supervision by sufficient number of lifeguards for campers in water	subsection 24 (2)	\$305
136.	Fail to ensure adequate additional supervision of non-swimmers	subsection 24 (3)	\$120
137.	Fail to ensure adequate additional supervision of swimmers with special needs	subsection 24 (3)	\$305
138.	Fail to ensure adequate additional supervision of swimmers under 5 years of age	subsection 24 (3)	\$305
139.	Fail to ensure buoyant rescue aid accessible at waterfront	paragraph 1 of subsection 24 (4)	\$465

*Am*

140.	Fail to ensure buoyant rescue aid attached to shoulder loop	paragraph 1 of subsection 24 (4)	\$465
141.	Fail to ensure buoyant rescue aid attached with 6 mm line at least 1.60 m in length	paragraph 1 of subsection 24 (4)	\$55
142.	Fail to ensure reaching pole accessible at waterfront	paragraph 2 of subsection 24 (4)	\$465
143.	Fail to ensure reaching pole 3 m or more in length	paragraph 2 of subsection 24 (4)	\$55
144.	Fail to ensure buoyant throwing aid accessible at waterfront	paragraph 3 of subsection 24 (4)	\$465
145.	Fail to ensure buoyant throwing aid attached to 6 mm line at least 8 m in length	paragraph 3 of subsection 24 (4)	\$55
146.	Fail to ensure spine board accessible at waterfront	paragraph 4 of subsection 24 (4)	\$465
147.	Fail to ensure paddleboard or boat accessible at waterfront	paragraph 5 of subsection 24 (4)	\$465
148.	Fail to ensure sufficient quantity of first aid supplies at waterfront	paragraph 6 of subsection 24 (4)	\$465
149.	Fail to ensure current copy of standard first aid manual accessible at waterfront	subparagraph 6 i of subsection 24 (4)	\$55
150.	Fail to ensure safety pins accessible at waterfront	subparagraph 6 ii of subsection 24 (4)	\$55
151.	Fail to ensure individually wrapped adhesive dressings accessible at waterfront	subparagraph 6 iii of subsection 24 (4)	\$55
152.	Fail to ensure 75 mm sterile gauze pads accessible at waterfront	subparagraph 6 iv of subsection 24 (4)	\$55
153.	Fail to ensure 50 mm gauze bandages accessible at waterfront	subparagraph 6 v of subsection 24 (4)	\$55
154.	Fail to ensure 100 mm gauze bandages accessible at waterfront	subparagraph 6 vi of subsection 24 (4)	\$55
155.	Fail to ensure individually wrapped sterile surgical pads suitable for pressure dressings accessible at waterfront	subparagraph 6 vii of subsection 24 (4)	\$55
156.	Fail to ensure triangular bandages accessible at waterfront	subparagraph 6 viii of subsection 24 (4)	\$55
157.	Fail to ensure rolls of splint padding accessible at waterfront	subparagraph 6 ix of subsection 24 (4)	\$55
158.	Fail to ensure roll-up splints accessible at waterfront	subparagraph 6 x of subsection 24 (4)	\$55
159.	Fail to ensure scissors accessible at	subparagraph 6 xi of	\$55

*Am*

	waterfront	subsection 24 (4)	
160.	Fail to ensure non-permeable gloves accessible at waterfront	subparagraph 6 xii of subsection 24 (4)	\$55
161.	Fail to ensure resuscitation pocket mask accessible at waterfront	subparagraph 6 xiii of subsection 24 (4)	\$55
162.	Fail to ensure tweezers accessible at waterfront	subparagraph 6 xiv of subsection 24 (4)	\$55
163.	Fail to ensure instant ice packs accessible at waterfront	subparagraph 6 xv of subsection 24 (4)	\$55
164.	Fail to ensure antiseptic solution accessible at waterfront	subparagraph 6 xvi of subsection 24 (4)	\$55
165.	Fail to ensure incident report forms accessible at waterfront	subparagraph 6 xvii of subsection 24 (4)	\$55
166.	Fail to ensure water-resistant, sterile bandages accessible at waterfront	subparagraph 6 xviii of subsection 24 (4)	\$55
167.	Fail to ensure waterproof adhesive tape accessible at waterfront	subparagraph 6 xix of subsection 24 (4)	\$55
168.	Fail to ensure blanket accessible at waterfront	subparagraph 6 xx of subsection 24 (4)	\$55
169.	Fail to ensure pillow accessible at waterfront	subparagraph 6 xx of subsection 24 (4)	\$55
170.	Fail to ensure waterfront maintained in sanitary condition	clause 25 (1) (a)	\$120
171.	Fail to ensure waterfront maintained free from hazards	clause 25 (1) (a)	\$465
172.	Fail to ensure water hazards clearly identified	clause 25 (1) (b)	\$465
173.	Fail to ensure communication device readily accessible from every waterfront beach area	subclause 25 (1) (c) (i)	\$465
174.	Fail to ensure communication device readily accessible from every swimming area	subclause 25 (1) (c) (i)	\$465
175.	Fail to ensure communication device has list of emergency service names and telephone numbers	subclause 25 (1) (c) (ii)	\$465
176.	Fail to ensure swim tests administered in shallow swimming area	clause 25 (1) (d)	\$465
177.	Fail to ensure waterfront beach area intended for use clearly designated by signs, buoys or buoy lines	subclause 25 (1) (e) (i)	\$120
178.	Fail to ensure swimming area intended for use clearly designated by signs,	subclause 25 (1) (e) (i)	\$120

	buoys or buoy lines		
179.	Fail to ensure waterfront beach area intended for use clearly visible from water by boaters	subclause 25 (1) (e) (ii)	\$120
180.	Fail to ensure waterfront beach area intended for use clearly recognizable from water by boaters	subclause 25 (1) (e) (ii)	\$120
181.	Fail to ensure swimming area intended for use clearly visible from water by boaters	subclause 25 (1) (e) (ii)	\$120
182.	Fail to ensure swimming area intended for use clearly recognizable from water by boaters	subclause 25 (1) (e) (ii)	\$120

*Am*