

**ONTARIO COURT OF JUSTICE**

**IT IS ORDERED**, pursuant to the provisions of the *Provincial Offences Act* and the rules for the Ontario Court of Justice, that the amount set opposite each of the offences in the attached Items of Schedule 55.1 under the Provincial Statutes and Regulations thereunder is the Set Fine.

This Order comes into effect on the 15th day of April, 2005.

**DATED AT TORONTO** this

12<sup>th</sup>

day of April, 2005.



.....  
**BRIAN W. LENNOX, Chief Justice**  
**Ontario Court of Justice**

- 1 -  
**SCHEDULE 55.1**

**Ontario Regulation 363/04 made under the  
*Highway Traffic Act***

<b>ITEM</b>	<b>COLUMN 1</b>	<b>COLUMN 2 SECTION</b>	<b>SET FINE</b>
1.	Fail to properly secure load on sides, end	clause 5 (1) (a)	\$130.00
2.	Fail to have required number of tiedowns	clause 5 (1) (b)	\$130.00
3.	Fail to secure load to prevent shift forward	subsection 5 (3)	\$130.00
4.	Fail to properly block or brace load on sides	clause 5 (3) (a)	\$130.00
5.	Use defective or damaged tiedown	subsection 6 (4)	\$130.00
6.	Fail to secure "over-the-centre" tiedown tensioner by adequate secondary means	subsection 6 (5)	\$130.00
7.	Fail to secure load – required by National Standard, Part 1	subsection 9 (1)	\$130.00
8.	Use defective or damaged tiedown – contrary to National Standard, Part 1	subsection 9 (1)	\$130.00
9.	Securement system fails to meet aggregate working load limit – required by National Standard, Part 1	subsection 9 (1)	\$130.00
10.	Securement system fails to meet aggregate working load limit – required by National Standard, Part 1 – commercial motor vehicle over 4,500 kg	subsection 9 (1)	\$310.00
11.	Fail to prevent load from rolling – required by National Standard, Part 1	subsection 9 (1)	\$130.00
12.	Fail to prevent load from rolling – required by National Standard, Part 1 – commercial motor vehicle over 4,500 kg	subsection 9 (1)	\$310.00
13.	Driver fails to ensure tiedowns taut – required by National Standard, Part 1	subsection 9 (1)	\$130.00

*Bue*  
12/4/05  
04/05

**SCHEDULE 55.1**

**Ontario Regulation 363/04 made under the  
*Highway Traffic Act***

<b>ITEM</b>	<b>COLUMN 1</b>	<b>COLUMN 2 SECTION</b>	<b>SET FINE</b>
14.	Driver fails to ensure tiedowns taut – required by National Standard, Part 1 – commercial motor vehicle over 4,500 kg	subsection 9 (1)	\$310.00
15.	Fail to use adequate edge protector - required by National Standard, Part 1	subsection 9 (1)	\$130.00
16.	Fail to use adequate edge protector – required by National Standard, Part 1 – commercial motor vehicle over 4,500 kg	subsection 9 (1)	\$310.00
17.	Fail to have proper number of tiedowns – required by National Standard, Part 1	subsection 9 (1)	\$130.00
18.	Fail to properly secure load – required by National Standard, Part 2	subsection 9 (2)	\$310.00
19.	Fail to properly secure load-required by National Standard, Part 2 – commercial motor vehicle over 4,500 kg	subsection 9 (2)	\$310.00

04/05