ONTARIO COURT OF JUSTICE

PROVINCIAL OFFENCES ACT

IT IS ORDERED, pursuant to the provisions of the *Provincial Offences Act* and the rules for the Ontario Court of Justice, that the amount set opposite each of the offences in the attached Items of Schedule 39 under the Provincial Statutes and Regulations thereunder is the Set Fine.

This Order comes into effect on the	1 st	day of	July	2018
DATED AT TORONTO this	20 th	day of	June	2018

Lise Maisonneuve, Chief Justice Ontario Court of Justice

Ontario Court of Justice July 1, 2018

SCHEDULE 39

Regulation 565 of the Revised Regulations of Ontario, 1990 under the *Health Protection and Promotion Act*

ltem	Offence	Section	Set Fine
1.	Fail to notify in writing of construction building permit number at least 14 days before opening public pool	clause 5 (1) (a)	\$55
2.	Fail to notify in writing of alteration building permit number at least 14 days before opening public pool	clause 5 (1) (a)	\$55
3.	Fail to notify in writing of construction building permit number at least 14 days before opening public spa	clause 5 (1) (a)	\$55
4.	Fail to notify in writing of alteration building permit number at least 14 days before opening public spa	clause 5 (1) (a)	\$55
5.	Fail to notify in writing of construction building permit number at least 14 days before opening Class C facility	clause 5 (1) (a)	\$55
6.	Fail to notify in writing of alteration building permit number at least 14 days before opening Class C facility	clause 5 (1) (a)	\$55
7.	Fail to notify whether all preparations necessary to operate public pool completed as required	clause 5 (1) (b)	\$55
8.	Fail to notify whether all preparations necessary to operate public spa completed as required	clause 5 (1) (b)	\$55
9.	Fail to notify whether all preparations necessary to operate Class C facility completed as required	clause 5 (1) (b)	\$55
10.	Fail to notify of intended opening date of public pool for use	clause 5 (1) (c)	\$55
11.	Fail to notify of intended re-opening date of public pool for use	clause 5 (1) (c)	\$55
12.	Fail to notify of intended opening date of public spa for use	clause 5 (1) (c)	\$55
13.	Fail to notify of intended re-opening date of public spa for use	clause 5 (1) (c)	\$55
14.	Fail to notify of intended opening date of Class C facility for use	clause 5 (1) (c)	\$55



15.	Fail to notify of intended re-opening date of Class C facility for use	clause 5 (1) (c)	\$55
16.	Fail to notify whether pool intended to be operated as Class A pool	clause 5 (1) (d)	\$55
17.	Fail to notify whether pool intended to be operated as Class B pool	clause 5 (1) (d)	\$55
18.	Fail to notify of name of operator of public pool	clause 5 (1) (e)	\$55
19.	Fail to notify of name of operator of public spa	clause 5 (1) (e)	\$55
20.	Fail to notify of name of operator of Class C facility	clause 5 (1) (e)	\$55
21.	Fail to notify of address of operator of public pool	clause 5 (1) (e)	\$55
22.	Fail to notify of address of operator of public spa	clause 5 (1) (e)	\$55
23.	Fail to notify of address of operator of Class C facility	clause 5 (1) (e)	\$55
24.	Fail to obtain written permission to open public pool	subsection 5 (2)	\$55
25.	Fail to obtain written permission to open public spa	subsection 5 (2)	\$55
26.	Fail to obtain written permission to open Class C facility	subsection 5 (2)	\$55
27.	Fail to obtain written permission to re-open public pool	subsection 5 (2)	\$55
28.	Fail to obtain written permission to re-open public spa	subsection 5 (2)	\$55
29.	Fail to obtain written permission to re-open Class C facility	subsection 5 (2)	\$55
30.	Fail to provide written notice at least 14 days before public pool re-opening date after four week closure	clause 5 (3) (a)	\$55
31.	Fail to provide written notice at least 14 days before public spa re-opening date after four week closure	clause 5 (3) (a)	\$55
32.	Fail to provide written notice at least 14 days before Class C facility re-opening date after four week closure	clause 5 (3) (a)	\$55
33.	Fail to provide written notice of operator name at least 14 days before re-opening public pool after four week closure	clause 5 (3) (b)	\$55
34.	Fail to provide written notice of operator name at least 14 days before re-opening public spa after four week closure	clause 5 (3) (b)	\$55
35.	Fail to provide written notice of operator name at least 14 days before re-opening Class C facility	clause 5 (3) (b)	\$55



	after four week closure		
36.	Fail to provide written notice of operator address at least 14 days before re-opening public pool after four week closure	clause 5 (3) (b)	\$55
37.	Fail to provide written notice of operator address at least 14 days before re-opening public spa after four week closure	clause 5 (3) (b)	\$55
38.	Fail to provide written notice of operator address at least 14 days before re-opening Class C facility after four week closure	clause 5 (3) (b)	\$55
39.	Fail to provide written notice of intention to operate as Class A pool at least 14 days before re-opening	clause 5 (3) (c)	\$55
40.	Fail to provide written notice of intention to operate as Class B pool at least 14 days before re-opening	clause 5 (3) (c)	\$55
41.	Fail to provide written notice of intention to operate as Class C facility at least 14 days before re-opening	clause 5 (3) (c)	\$55
42.	Operator of public pool fail to ensure inspection results posted in accordance with inspector's request	subsection 5 (4)	\$120
43.	Operator of public spa fail to ensure inspection results posted in accordance with inspector's request	subsection 5 (4)	\$120
44.	Operator of Class C facility fail to ensure inspection results posted in accordance with inspector's request	subsection 5 (4)	\$120
45.	Owner fail to designate operator of public pool	subsection 6 (1)	\$55
46.	Owner fail to designate operator of public spa	subsection 6 (1)	\$55
47.	Owner fail to designate operator of Class C facility	subsection 6 (1)	\$55
48.	Operator not trained in public pool operation	subsection 6 (2)	\$120
49.	Operator not trained in public spa operation	subsection 6 (2)	\$120
50.	Operator not train in public pool maintenance	subsection 6 (2)	\$120
51.	Operator not trained in public spa maintenance	subsection 6 (2)	\$120
52.	Operator not trained in public pool filtration systems	subsection 6 (2)	\$120
53.	Operator not trained in public spa filtration systems	subsection 6 (2)	\$120
54.	Operator not trained in public pool water chemistry	subsection 6 (2)	\$120
55.	Operator not trained in public spa water	subsection 6 (2)	\$120



	chemistry	1	
56.	Operator not trained in all relevant public pool safety procedures	subsection 6 (2)	\$120
57.	Operator not trained in all relevant public spa safety procedures	subsection 6 (2)	\$120
58.	Operator not trained in all relevant public pool emergency procedures	subsection 6 (2)	\$120
59.	Operator not trained in all relevant public spa emergency procedures	subsection 6 (2)	\$120
60.	Fail to maintain public pool in safe condition	clause 6 (3) (a)	\$465
61.	Fail to maintain public spa in safe condition	clause 6 (3) (a)	\$465
62.	Fail to maintain Class C facility in safe condition	clause 6 (3) (a)	\$465
63.	Fail to maintain public pool equipment in safe condition	clause 6 (3) (a)	\$305
64.	Fail to maintain public spa equipment in safe condition	clause 6 (3) (a)	\$305
65.	Fail to maintain Class C facility equipment in safe condition	clause 6 (3) (a)	\$305
66.	Fail to maintain public pool in sanitary condition	clause 6 (3) (a)	\$305
67.	Fail to maintain public spa in sanitary condition	clause 6 (3) (a)	\$305
68.	Fail to maintain Class C facility in sanitary condition	clause 6 (3) (a)	\$305
69.	Fail to maintain public pool equipment in sanitary condition	clause 6 (3) (a)	\$120
70.	Fail to maintain public spa equipment in sanitary condition	clause 6 (3) (a)	\$120
71.	Fail to maintain Class C facility equipment in sanitary condition	clause 6 (3) (a)	\$120
72.	Fail to ensure pool rendered inaccessible, outside of daily use period, to persons not involved with its operation, inspection or maintenance	clause 6 (3) (b)	\$465
73.	Fail to ensure spa rendered inaccessible, outside of daily use period, to persons not involved with its operation, inspection or maintenance	clause 6 (3) (b)	\$465
74.	Fail to ensure public wading pool rendered inaccessible, outside of daily use period, to persons not involved with its operation, inspection or maintenance	clause 6 (3) (b)	\$465
75.	Fail to ensure that water not less than four times pool capacity filtered daily in Class A pool constructed after April 30, 1974	subclause 6 (3) (c) (i)	\$120



76.	Fail to ensure water not less than four times pool capacity disinfected daily in Class A pool constructed after April 30, 1974	subclause 6 (3) (c) (i)	\$120
7 7.	Fail to ensure water not less than four times pool capacity passed through pool daily in Class A pool constructed after April 30, 1974	subclause 6 (3) (c) (i)	\$120
78.	Fail to ensure water not less than three times pool capacity filtered daily in Class A pool constructed before May 1, 1974	subclause 6 (3) (c) (ii)	\$120
79.	Fail to ensure water not less than three times pool capacity filtered daily in Class B pool	subclause 6 (3) (c) (ii)	\$120
80.	Fail to ensure water not less than three times pool capacity disinfected daily in Class A pool constructed before May 1, 1974	subclause 6 (3) (c) (ii)	\$120
81.	Fail to ensure water not less than three times pool capacity disinfected daily in Class B pool	subclause 6 (3) (c) (ii)	\$120
82.	Fail to ensure water not less than three times pool capacity passed through pool daily in Class A pool constructed before May 1, 1974	subclause 6 (3) (c) (ii)	\$120
83.	Fail to ensure water not less than three times pool capacity passed through Class B pool daily	subclause 6 (3) (c) (ii)	\$120
84.	Fail to ensure water not less than six times pool capacity filtered daily in wave action pool	subclause 6 (3) (c) (iii)	\$120
85.	Fail to ensure water not less than six times pool capacity disinfected daily in wave action pool	subclause 6 (3) (c) (iii)	\$120
86.	Fail to ensure water not less than six times pool capacity passed through wave action pool daily	subclause 6 (3) (c) (iii)	\$120
87.	Fail to ensure continuous, 24-hour operation of circulation system each day except for necessary stoppage	clause 6 (3) (d)	\$305
88.	Fail to ensure continuous, 24-hour operation of chemical feeders each day except for necessary stoppage	clause 6 (3) (d)	\$305
89.	Operate Class B pool as Class A pool without notifying M.O.H. or public health inspector in advance of intent to do so	paragraph 1 of subsection 6 (4)	\$120
90.	Operate Class B pool as Class A pool without complying with Class A safety and supervision requirements	paragraph 2 of subsection 6 (4)	\$465
91.	Operate Class B pool as Class A pool without increasing water turnover at required Class A pool rate	paragraph 3 of subsection 6 (4)	\$120
92.	Operate Class A pool as Class B pool during	subsection 6 (5)	\$120

Am

	periods where Class A pool is open for use beyond permitted Class B uses		
93.	Fail to ensure all components of pool maintained in proper working order	clause 6 (6) (a)	\$120
94.	Fail to ensure all components of spa maintained in proper working order	clause 6 (6) (a)	\$120
95.	Fail to ensure all components of Class C facility maintained in proper working order	clause 6 (6) (a)	\$120
96.	Fail to ensure all surfaces of pool deck maintained in sanitary condition	clause 6 (6) (b)	\$120
97.	Fail to ensure all surfaces of spa deck maintained in sanitary condition	clause 6 (6) (b)	\$120
98.	Fail to ensure all surfaces of pool walls maintained in sanitary condition	clause 6 (6) (b)	\$55
99.	Fail to ensure all surfaces of spa walls maintained in sanitary condition	clause 6 (6) (b)	\$55
100.	Fail to ensure all surfaces of pool deck free from potential hazards	clause 6 (6) (b)	\$120
101.	Fail to ensure all surfaces of spa deck free from potential hazards	clause 6 (6) (b)	\$120
102.	Fail to ensure all surfaces of pool walls free from potential hazards	clause 6 (6) (b)	\$55
103.	Fail to ensure all surfaces of spa walls free from potential hazards	clause 6 (6) (b)	\$55
104.	Fail to ensure dressing room available for use of bathers before entering pool deck	clause 6 (6) (c)	\$55
105.	Fail to ensure dressing room available for use of bathers before entering spa deck	clause 6 (6) (c)	\$55
106.	Fail to ensure water closet available for use of bathers before entering pool deck	clause 6 (6) (c)	\$55
107.	Fail to ensure water closet available for use of bathers before entering spa deck	clause 6 (6) (c)	\$55
108.	Fail to ensure shower facilities available for use of bathers before entering pool deck	clause 6 (6) (c)	\$120
109.	Fail to ensure shower facilities available for use of bathers before entering spa deck	clause 6 (6) (c)	\$120
110.	Fail to ensure water-retentive material not installed in area that may become wet during daily pool use	clause 6 (6) (d)	\$55
111.	Fail to ensure water-retentive material not installed in area that may become wet during daily spa use	clause 6 (6) (d)	\$55
112.	Fail to ensure water-retentive material not used	clause 6 (6) (d)	\$55

KM

, , ,	in area that may become wet during daily pool use		
113.	Fail to ensure water-retentive material not used in area that may become wet during daily spa use	clause 6 (6) (d)	\$55
114.	Fail to ensure perimeter of pool deck clearly delineated where contiguous area may be confused with pool deck	clause 6 (6) (e)	\$55
115.	Fail to ensure perimeter of spa deck clearly delineated where contiguous area may be confused with spa deck	clause 6 (6) (e)	\$55
116.	Fail to ensure provisions made for safe storage of all chemicals required in pool operation	clause 6 (6) (f)	\$120
117.	Fail to ensure provisions made for safe storage of all chemicals required in spa operation	clause 6 (6) (f)	\$120
118.	Fail to ensure provisions made for safe handling of all chemicals required in pool operation	clause 6 (6) (f)	\$120
119.	Fail to ensure provisions made for safe handling of all chemicals required in spa operation	clause 6 (6) (f)	\$120
120.	Fail to ensure footsprays provided for pool maintained in good working order	clause 6 (6) (g)	\$55
121.	Fail to ensure footsprays provided for spa maintained in good working order	clause 6 (6) (g)	\$55
122.	Fail to ensure footsprays provided for pool kept sanitary	clause 6 (6) (g)	\$55
123.	Fail to ensure footsprays provided for spa kept sanitary	clause 6 (6) (g)	\$55
124.	Fail to ensure submerged surfaces of pool are white or light in colour	clause 6 (6) (h)	\$305
125.	Fail to ensure perimeter drain of pool kept free of debris	clause 6 (6) (i)	\$120
126.	Fail to ensure at least 15 per cent of total pool water capable of being withdrawn from gutter or skimmer lines daily	clause 6 (6) (j)	\$120
127.	Fail to ensure pool water withdrawn from gutter or skimmer lines daily discharged to waste drains	clause 6 (6) (j)	\$120
128.	Fail to ensure pool diving board has non-slip surface finish	clause 6 (6) (k)	\$120
129.	Fail to ensure pool diving platform has non-slip surface finish	clause 6 (6) (k)	\$120
130.	Fail to ensure no access by bathers to electrical equipment for operation of wave action pool	clause 6 (6) (I)	\$55



131.	Fail to ensure no access by bathers to mechanical equipment for operation of wave action pool	clause 6 (6) (I)	\$55
132.	Fail to ensure no access by bathers to chemicals for operation of wave action pool	clause 6 (6) (I)	\$55
133.	Fail to ensure no access by bathers to chemical feeders for operation of wave action pool	clause 6 (6) (I)	\$55
134.	Fail to ensure black disc 150 mm in diameter on white background affixed to bottom of pool at deepest point	clause 6 (6) (m)	\$465
135.	Fail to ensure removable barrier separates pool deck from pool ramp as required	clause 6 (6) (n)	\$55
136.	Fail to ensure removable barrier separates walkway from pool deck as required	clause 6 (6) (o)	\$55
137.	Fail to ensure exposed piping within pool enclosure identified by colour coded bands as required	subclause 6 (6) (p) (i)	\$55
138.	Fail to ensure exposed piping inside pool structure identified by colour coded bands as required	subclause 6 (6) (p) (i)	\$55
139.	Fail to ensure exposed piping inside appurtenant pool structure identified by colour coded bands as required	subclause 6 (6) (p) (i)	\$55
140.	Fail to ensure exposed piping within pool enclosure identified by painting entire outer surface of chlorine piping yellow	subclause 6 (6) (p) (ii)	\$55
141.	Fail to ensure exposed piping inside pool structure identified by painting entire outer surface of chlorine piping yellow	subclause 6 (6) (p) (ii)	\$55
142.	Fail to ensure exposed piping inside appurtenant pool structure identified by painting entire outer surface of chlorine piping yellow	subclause 6 (6) (p) (ii)	\$55
143.	Fail to ensure exposed piping within pool enclosure identified by painting entire outer surface of potable water piping green	subclause 6 (6) (p) (ii)	\$55
144.	Fail to ensure exposed piping inside pool structure identified by painting entire outer surface of potable water piping green	subclause 6 (6) (p) (ii)	\$55
145.	Fail to ensure exposed piping inside appurtenant pool structure identified by painting entire outer surface of potable water piping green	subclause 6 (6) (p) (ii)	\$55
146.	Fail to ensure clean water free from contamination that may be injurious to bather health at public pool	subsection 7 (1)	\$465



147.	Fail to ensure clean water free from contamination that may be injurious to bather health at public spa	subsection 7 (1)	\$465
148.	Fail to ensure clean water free from contamination that may be injurious to bather health at Class C facility	subsection 7 (1)	\$465
149.	Fail to ensure make-up water free from contamination that may be injurious to bather health at public pool	subsection 7 (1)	\$465
150.	Fail to ensure make-up water free from contamination that may be injurious to bather health at public spa	subsection 7 (1)	\$465
151.	Fail to ensure source water free from contamination that may be injurious to bather health at Class C facility	subsection 7 (1)	\$465
152.	Fail to ensure public pool water separate from potable water supply	subsection 7 (2)	\$465
153.	Fail to ensure public spa water separate from potable water supply	subsection 7 (2)	\$465
154.	Fail to ensure circulation system at public pool separate from potable water supply	subsection 7 (2)	\$465
155.	Fail to ensure circulation system at public spa separate from potable water supply	subsection 7 (2)	\$465
156.	Fail to ensure public pool water separate from sewer system into which it drains	subsection 7 (2)	\$465
157.	Fail to ensure public pool water separate from drainage system into which it drains	subsection 7 (2)	\$465
158.	Fail to ensure public spa water separate from sewer system into which it drains	subsection 7 (2)	\$465
159.	Fail to ensure public spa water separate from drainage system into which it drains	subsection 7 (2)	\$465
160.	Fail to ensure public pool water maintained free from visible matter that may be hazardous to bather health	subsection 7 (3)	\$305
161.	Fail to ensure public pool water maintained free from visible matter that may be hazardous to bather safety	subsection 7 (3)	\$305
162.	Fail to ensure public spa water maintained free from visible matter that may be hazardous to bather health	subsection 7 (3)	\$305
163.	Fail to ensure public spa water maintained free from visible matter that may be hazardous to bather safety	subsection 7 (3)	\$305



164.	Fail to ensure water at Class C facility maintained free from visible matter that may be hazardous to bather health	subsection 7 (3)	\$305
165.	Fail to ensure water at Class C facility maintained free from visible matter that may be hazardous to bather safety	subsection 7 (3)	\$305
166.	Fail to ensure public pool water clear enough to permit black disc at deepest point to be clearly visible from point on deck nine m away	subsection 7 (4)	\$465
167.	Fail to ensure public pool water clear enough to permit lifeguard to continuously see black marking on bottom of the pool	subsection 7 (5)	\$465
168.	Fail to ensure wave action pool water clear enough to permit black disc at deepest point to be clearly visible from point on deck nine m away	subsection 7 (6)	\$465
169.	Fail to ensure public spa water clear enough to permit visibility of lowest water outlet drain when water in non-turbulent state	subsection 7 (7)	\$465
170.	Fail to ensure public pool water treated with chlorine, a chlorine compound or bromine by means of chemical feeder	subsection 7 (8)	\$465
171.	Fail to ensure public spa water treated with chlorine, a chlorine compound or bromine by means of chemical feeder	subsection 7 (8)	\$465
172.	Fail to ensure public wading pool water treated with chlorine, a chlorine compound or bromine by means of chemical feeder	subsection 7 (8)	\$465
173.	Fail to ensure alkalinity of public pool water maintained in range of 80 - 120 ppm	clause 7 (8) (a)	\$55
174.	Fail to ensure alkalinity of public spa water maintained in range of 80 - 120 ppm	clause 7 (8) (a)	\$55
175.	Fail to ensure alkalinity of public wading pool water maintained in range of 80 - 120 ppm	clause 7 (8) (a)	\$55
176.	Fail to ensure pH value of public pool water maintained in range of 7.2 - 7.8	clause 7 (8) (b)	\$55
177.	Fail to ensure pH value of public spa water maintained in range of 7.2 - 7.8	clause 7 (8) (b)	\$55
178.	Fail to ensure pH value of public wading pool water maintained in range of 7.2 - 7.8	clause 7 (8) (b)	\$55
179.	Fail to ensure residual of free available chlorine of public pool water maintained between 0.5 - 10 ppm	clause 7 (8) (c)	\$305



180.	Fail to ensure residual of free available chlorine of public spa water maintained between 5 -10 ppm	clause 7 (8) (c)	\$305
181.	Fail to ensure residual of free available chlorine of public wading pool water maintained between 5 - 10 ppm	clause 7 (8) (c)	\$305
182.	Fail to ensure total bromine of public spa water maintained between 5 - 10 ppm	clause 7 (8) (c)	\$305
183.	Fail to ensure total bromine of public wading pool water maintained between 5 - 10 ppm	clause 7 (8) (c)	\$305
184.	Fail to ensure bromine residual of public pool water maintained between 2 - 4 ppm	clause 7 (8) (d)	\$305
185.	Fail to ensure bromine residual of wave action pool water maintained between 3 - 10 ppm	clause 7 (8) (e)	\$305
186.	Fail to ensure Oxidation Reduction Potential value of public pool water maintained between 600 - 900 mV where pool equipped with automatic sensing device	clause 7 (8) (f)	\$120
187.	Fail to ensure Oxidation Reduction Potential value of public spa water maintained between 600 - 900 mV where spa equipped with automatic sensing device	clause 7 (8) (f)	\$120
188.	Fail to ensure Oxidation Reduction Potential value of public wading pool water maintained between 600 - 900 mV where wading pool equipped with automatic sensing device	clause 7 (8) (f)	\$120
189.	Fail to ensure public pool water maintained so that bromine residual levels satisfy M.O.H. requirement	clause 7 (8) (g)	\$120
190.	Fail to ensure public spa water maintained so that bromine residual levels satisfy M.O.H. requirement	clause 7 (8) (g)	\$120
191.	Fail to ensure public wading pool water maintained so that bromine residual levels satisfy M.O.H. requirement	clause 7 (8) (g)	\$120
192.	Method used to determine free available chlorine residual may be affected by chloramines	subsection 7 (9)	\$55
193.	Method used to determine free available chlorine residual may be affected by other compounds	subsection 7 (9)	\$55
194.	Fail to ensure appropriate free available chlorine and cyanuric acid concentration	paragraph 1 of subsection 7 (10)	\$120
195.	Fail to ensure no cyanurate stabilization used for indoor pools	paragraph 2 of subsection 7 (10)	\$55



196.	Fail to ensure no cyanurate stabilization used for spas	paragraph 2 of subsection 7 (10)	\$55
197.	Fail to manually test total alkalinity at least 30 minutes before opening public pool	paragraph 1 of subsection 7 (11)	\$55
198.	Fail to record total alkalinity at least 30 minutes before opening public pool	paragraph 1 of subsection 7 (11)	\$55
199.	Fail to manually test total alkalinity at least 30 minutes before opening public spa	paragraph 1 of subsection 7 (11)	\$55
200.	Fail to record total alkalinity at least 30 minutes before opening public spa	paragraph 1 of subsection 7 (11)	\$55
201.	Fail to manually test total alkalinity at least 30 minutes before opening public wading pool	paragraph 1 of subsection 7 (11)	\$55
202.	Fail to record total alkalinity at least 30 minutes before opening public wading pool	paragraph 1 of subsection 7 (11)	\$55
203.	Fail to manually test pH value at least 30 minutes before opening public pool	paragraph 2 of subsection 7 (11)	\$55
204.	Fail to record pH value at least 30 minutes before opening public pool	paragraph 2 of subsection 7 (11)	\$55
205.	Fail to manually test pH value at least 30 minutes before opening public spa	paragraph 2 of subsection 7 (11)	\$55
206.	Fail to record pH value at least 30 minutes before opening public spa	paragraph 2 of subsection 7 (11)	\$55
207.	Fail to manually test pH value at least 30 minutes before opening public wading pool	paragraph 2 of subsection 7 (11)	\$55
208.	Fail to record pH value at least 30 minutes before opening public wading pool	paragraph 2 of subsection 7 (11)	\$55
209.	Fail to manually test free available chlorine at least 30 minutes before opening public pool	paragraph 3 of subsection 7 (11)	\$55
210.	Fail to record free available chlorine at least 30 minutes before opening public pool	paragraph 3 of subsection 7 (11)	\$55
211.	Fail to manually test free available chlorine at least 30 minutes before opening public spa	paragraph 3 of subsection 7 (11)	\$55
212.	Fail to record free available chlorine at least 30 minutes before opening public spa	paragraph 3 of subsection 7 (11)	\$55
213.	Fail to manually test free available chlorine at least 30 minutes before opening public wading pool	paragraph 3 of subsection 7 (11)	\$55
214.	Fail to record free available chlorine at least 30 minutes before opening public wading pool	paragraph 3 of subsection 7 (11)	\$55
215.	Fail to manually test total chlorine or bromine residual at least 30 minutes before opening public pool	paragraph 3 of subsection 7 (11)	\$55
216.	Fail to record total chlorine or bromine residual	paragraph 3 of	\$55



	at least 30 minutes before opening public pool	subsection 7 (11)	
217.	Fail to manually test total chlorine or bromine residual at least 30 minutes before opening public spa	paragraph 3 of subsection 7 (11)	\$55
218.	Fail to record total chlorine or bromine residual at least 30 minutes before opening public spa	paragraph 3 of subsection 7 (11)	\$55
219.	Fail to manually test total chlorine or bromine residual at least 30 minutes before opening public wading pool	paragraph 3 of subsection 7 (11)	\$55
220.	Fail to record total chlorine or bromine residual at least 30 minutes before opening public wading pool	paragraph 3 of subsection 7 (11)	\$55
221.	Fail to manually test water clarity at least 30 minutes before opening public pool	paragraph 4 of subsection 7 (11)	\$55
222.	Fail to record water clarity at least 30 minutes before opening public pool	paragraph 4 of subsection 7 (11)	\$55
223.	Fail to manually test water clarity at least 30 minutes before opening public spa	paragraph 4 of subsection 7 (11)	\$55
224.	Fail to record water clarity at least 30 minutes before opening public spa	paragraph 4 of subsection 7 (11)	\$55
225.	Fail to manually test water clarity at least 30 minutes before opening public wading pool	paragraph 4 of subsection 7 (11)	\$55
226.	Fail to record water clarity at least 30 minutes before opening public wading pool	paragraph 4 of subsection 7 (11)	\$55
227.	Fail to manually test water temperature at least 30 minutes before opening public spa	paragraph 5 of subsection 7 (11)	\$55
228.	Fail to record water temperature at least 30 minutes before operating public spa	paragraph 5 of subsection 7 (11)	\$55
229.	Where pool has automatic sensing device — fail to check requirements at least every four hours during daily use period	subsection 7 (12)	\$55
230.	Where pool has automatic sensing device — fail to record requirements at least every four hours during daily use period	subsection 7 (12)	\$55
231.	Where spa has automatic sensing device — fail to check requirements at least every four hours during daily use period	subsection 7 (12)	\$55
232.	Where spa has automatic sensing device — fail to record requirements at least every four hours during daily use period	subsection 7 (12)	\$55
233.	Where public wading pool has automatic sensing device — fail to check requirements at least every four hours during daily use period	subsection 7 (12)	\$55



234.	Where public wading pool has automatic sensing device — fail to record requirements at least every four hours during daily use period	subsection 7 (12)	\$55
235.	Where pool does not have automatic sensing device — fail to manually check requirements at least every two hours during daily use period	subsection 7 (12)	\$55
236.	Where pool does not have automatic sensing device — fail to record requirements at least every two hours during daily use period	subsection 7 (12)	\$55
237.	Where spa does not have automatic sensing device — fail to manually check requirements at least every two hours during daily use period	subsection 7 (12)	\$55
238.	Where spa does not have automatic sensing device — fail to record requirements at least every two hours during daily use period	subsection 7 (12)	\$55
239.	Where public wading pool does not have automatic sensing device — fail to manually check requirements at least every two hours during daily use period	subsection 7 (12)	\$55
240.	Where public wading pool does not have automatic sensing device — fail to record requirements at least every two hours during daily use period	subsection 7 (12)	\$55
241.	Fail to add at least 15 litres per bather of make- up water to public pool each operating day as determined by water meter	subsection 7 (13)	\$120
242.	Fail to add at least 15 litres per bather of make- up water to public spa each operating day	subsection 7 (14)	\$120
243.	Fail to ensure water meter provided to register volume of make-up water added to public pool	subsection 7 (15)	\$120
244.	Fail to ensure water meter provided to register volume of make-up water added to public spa	subsection 7 (15)	\$120
245.	Fail to ensure waste drainage of total water in public spa in accordance with required formula	subsection 7 (16)	\$305
246.	Fail to ensure refill total water in public spa in accordance with required formula	subsection 7 (16)	\$55
247.	Operator fail to inspect all parts of spa before refilling spa	subsection 7 (17)	\$120
248.	Operator fail to ensure all parts of spa properly secured before refilling spa	subsection 7 (17)	\$120
249.	Operator fail to ensure all parts of spa operational before refilling spa	subsection 7 (17)	\$120
250.	Fail to keep daily record of estimated number of	clause 8 (a)	\$55



	bather uses of public pool during operating day		
251.	Fail to sign daily record of estimated number of bather uses of public pool during operating day	clause 8 (a)	\$55
252.	Fail to keep daily record of estimated number of bather uses of public spa during operating day	clause 8 (a)	\$55
253.	Fail to sign daily record of estimated number of bather uses of public spa during operating day	clause 8 (a)	\$55
254.	Fail to keep daily record of reading of make-up water meter for pool as of end of day	clause 8 (b)	\$55
255.	Fail to sign daily record of reading of make-up water meter for pool as of end of day	clause 8 (b)	\$55
256.	Fail to keep daily record of reading of make-up water meter for spa as of end of day	clause 8 (b)	\$55
257.	Fail to sign daily record of reading of make-up water meter for spa as of end of day	clause 8 (b)	\$55
258.	Fail to keep daily record of emergencies at public pool	clause 8 (c)	\$55
259.	Fail to sign daily record of emergencies at public pool	clause 8 (c)	\$55
260.	Fail to keep daily record of rescues at public pool	clause 8 (c)	\$55
261.	Fail to sign daily record of rescues at public pool	clause 8 (c)	\$55
262.	Fail to keep daily record of breakdowns of equipment at public pool	clause 8 (c)	\$55
263.	Fail to sign daily record of breakdowns of equipment at public pool	clause 8 (c)	\$55
264.	Fail to keep daily record of emergencies at public spa	clause 8 (c)	\$55
265.	Fail to sign daily record of emergencies at public spa	clause 8 (c)	\$55
266.	Fail to keep daily record of rescues at public spa	clause 8 (c)	\$55
267.	Fail to sign daily record of rescues at public spa	clause 8 (c)	\$55
268.	Fail to keep daily record of breakdowns of equipment at public spa	clause 8 (c)	\$55
269.	Fail to sign daily record of breakdowns of equipment at public spa	clause 8 (c)	\$55
270.	Fail to keep daily record of time of day emergency stop button test performed at public pool	clause 8 (d)	\$55
271.	Fail to sign daily record of time of day emergency stop button test performed at public pool	clause 8 (d)	\$55
272.	Fail to keep daily record of time of day	clause 8 (d)	\$55

•



	emergency stop button test performed at public spa		
273.	Fail to sign daily record of time of day emergency stop button test performed at public spa	clause 8 (d)	\$55
274.	Fail to keep daily record of public pool tests as required	clause 8 (e)	\$55
275.	Fail to sign daily record of public pool tests as required	clause 8 (e)	\$55
276.	Fail to keep daily record of public spa tests as required	clause 8 (e)	\$55
277.	Fail to sign daily record of public spa tests as required	clause 8 (e)	\$55
278.	Fail to keep daily record of whether public spa drained	clause 8 (f)	\$55
279.	Fail to sign daily record of whether public spa drained	clause 8 (f)	\$55
280.	Fail to keep daily record of whether public spa inspected	clause 8 (f)	\$55
281.	Fail to sign daily record of whether public spa inspected	clause 8 (f)	\$55
282.	Fail to keep daily record of whether public spa refilled	clause 8 (f)	\$55
283.	Fail to sign daily record of whether public spa refilled	clause 8 (f)	\$55
284.	Fail to keep daily record of telephone test for public pool	clause 8 (g)	\$55
285.	Fail to sign daily record of telephone test for public pool	clause 8 (g)	\$55
286.	Fail to keep daily record of when telephone test performed for public pool	clause 8 (g)	\$55
287.	Fail to sign daily record of when telephone test performed for public pool	clause 8 (g)	\$55
288.	Fail to keep daily record of telephone test for public spa	clause 8 (g)	\$55
289.	Fail to sign daily record of telephone test for public spa	clause 8 (g)	\$55
290.	Fail to keep daily record of when telephone test performed for public spa	clause 8 (g)	\$55
291.	Fail to sign daily record of when telephone test performed for public spa	clause 8 (g)	\$55
292.	Fail to keep daily record of type of chemicals added manually to public pool	clause 8 (h)	\$55



293.	Fail to sign daily record of type of chemicals added manually to public pool	clause 8 (h)	\$55
294.	Fail to keep daily record of amount of chemicals added manually to public pool	clause 8 (h)	\$55
295.	Fail to sign daily record of amount of chemicals added manually to public pool	clause 8 (h)	\$55
296.	Fail to keep daily record of type of chemicals added manually to public spa	clause 8 (h)	\$55
297.	Fail to sign daily record of type of chemicals added manually to public spa	clause 8 (h)	\$55
298.	Fail to keep daily record of amount of chemicals added manually to public spa	clause 8 (h)	\$55
299.	Fail to sign daily record of amount of chemicals added manually to public spa	clause 8 (h)	\$55
300.	Fail to retain all daily records for one year	section 9	\$55
301.	Fail to keep daily records available for viewing by M.O.H or public health inspector at any time	section 9	\$55
302.	Fail to ensure bathers on deck and in public pool does not exceed maximum bather load	subsection 10 (1)	\$465
303.	Fail to ensure bathers on deck and in wave action pool does not exceed maximum bather load	subsection 10 (2)	\$465
304.	Fail to ensure maximum number of persons permitted to use public spa complies with requirements	subsection 10 (2.1)	\$305
305.	Public pools — benches or seats for temporary use placed on deck with barrier less than 0.60 m away from pool edge	clause 10 (3) (a)	\$55
306.	Public pools — benches or seats for temporary use not stored outside deck area	clause 10 (3) (b)	\$55
307.	Public pools — fail to ensure unsupervised moveable equipment not in place on deck	subsection 10 (4)	\$55
308.	Fail to ensure no food supplied in pool	subsection 10 (5)	\$55
309.	Fail to ensure no food supplied on pool deck	subsection 10 (5)	\$55
310.	Fail to ensure no food consumed in pool	subsection 10 (5)	\$55
311.	Fail to ensure no food consumed on pool deck	subsection 10 (5)	\$55
312.	Fail to ensure no food supplied in spa	subsection 10 (5)	\$55
313.	Fail to ensure no food supplied on spa deck	subsection 10 (5)	\$55
314.	Fail to ensure no food consumed in spa	subsection 10 (5)	\$55
315.	Fail to ensure no food consumed on spa deck	subsection 10 (5)	\$55
316.	Fail to ensure no beverage except water supplied in pool	subsection 10 (5)	\$55



317.	Fail to ensure no beverage except water supplied on pool deck	subsection 10 (5)	\$55
318.	Fail to ensure no beverage except water consumed in pool	subsection 10 (5)	\$55
319.	Fail to ensure no beverage except water consumed on pool deck	subsection 10 (5)	\$55
320.	Fail to ensure no beverage except water supplied in spa	subsection 10 (5)	\$55
321.	Fail to ensure no beverage except water supplied on spa deck	subsection 10 (5)	\$55
322.	Fail to ensure no beverage except water consumed in spa	subsection 10 (5)	\$55
323.	Fail to ensure no beverage except water consumed on spa deck	subsection 10 (5)	\$55
324.	Fail to ensure public pool kept clean	clause 11 (1) (a)	\$55
325.	Fail to ensure public pool free from slipperiness	clause 11 (1) (a)	\$120
326.	Fail to ensure public pool disinfected	clause 11 (1) (a)	\$465
327.	Fail to ensure public spa kept clean	clause 11 (1) (a)	\$55
328.	Fail to ensure public spa free from slipperiness	clause 11 (1) (a)	\$120
329.	Fail to ensure public spa disinfected	clause 11 (1) (a)	\$465
330.	Fail to ensure public pool deck kept clean	clause 11 (1) (a)	\$55
331.	Fail to ensure public pool deck free from slipperiness	clause 11 (1) (a)	\$120
332.	Fail to ensure public pool deck disinfected	clause 11 (1) (a)	\$465
333.	Fail to ensure public spa deck kept clean	clause 11 (1) (a)	\$55
334.	Fail to ensure public spa deck free from slipperiness	clause 11 (1) (a)	\$120
335.	Fail to ensure public spa deck disinfected	clause 11 (1) (a)	\$465
336.	Fail to ensure public pool dressing room kept clean	clause 11 (1) (a)	\$55
337.	Fail to ensure public pool dressing room free from slipperiness	clause 11 (1) (a)	\$120
338.	Fail to ensure public pool dressing room disinfected	clause 11 (1) (a)	\$465
339.	Fail to ensure public spa dressing room kept clean	clause 11 (1) (a)	\$55
340.	Fail to ensure public spa dressing room free from slipperiness	clause 11 (1) (a)	\$55
341.	Fail to ensure public spa dressing room disinfected	clause 11 (1) (a)	\$55
342.	. Fail to ensure public pool locker room kept clean	clause 11 (1) (a)	\$55
343.	Fail to ensure public pool locker room free from	clause 11 (1) (a)	\$55



	slipperiness		
344.	Fail to ensure public pool locker room disinfected	clause 11 (1) (a)	\$55
345.	Fail to ensure public spa locker room kept clean	clause 11 (1) (a)	\$55
346.	Fail to ensure public spa locker room free from slipperiness	clause 11 (1) (a)	\$55
347.	Fail to ensure public spa locker room disinfected	clause 11 (1) (a)	\$55
348.	Fail to ensure public pool water closet kept clean	clause 11 (1) (a)	\$55
349.	Fail to ensure public pool water closet free from slipperiness	clause 11 (1) (a)	\$55
350.	Fail to ensure public pool water closet disinfected	clause 11 (1) (a)	\$55
351.	Fail to ensure public spa water closet kept clean	clause 11 (1) (a)	\$55
352.	Fail to ensure public spa water closet free from slipperiness	clause 11 (1) (a)	\$55
353.	Fail to ensure public spa water closet disinfected	clause 11 (1) (a)	\$55
354.	Fail to ensure public pool showers kept clean	clause 11 (1) (a)	\$55
355.	Fail to ensure public pool showers free from slipperiness	clause 11 (1) (a)	\$55
356.	Fail to ensure public pool showers disinfected	clause 11 (1) (a)	\$55
357.	Fail to ensure public spa showers kept clean	clause 11 (1) (a)	\$55
358.	Fail to ensure public spa showers free from slipperiness	clause 11 (1) (a)	\$55
359.	Fail to ensure public spa showers disinfected	clause 11 (1) (a)	\$55
360.	Fail to ensure connecting corridor appurtenant to public pool kept clean	clause 11 (1) (a)	\$55
361.	Fail to ensure connecting corridor appurtenant to public pool free from slipperiness	clause 11 (1) (a)	\$55
362.	Fail to ensure connecting corridor appurtenant to public pool disinfected	clause 11 (1) (a)	\$55
363.	Fail to ensure connecting corridor appurtenant to public spa kept clean	clause 11 (1) (a)	\$55
364.	Fail to ensure connecting corridor appurtenant to public spa free from slipperiness	clause 11 (1) (a)	\$55
365.	Fail to ensure connecting corridor appurtenant to public spa disinfected	clause 11 (1) (a)	\$55
366.	Fail to ensure public pool free of hazardous obstructions	clause 11 (1) (b)	\$305
367.	Fail to ensure public spa free of hazardous obstructions	clause 11 (1) (b)	\$305
368.	Fail to ensure public pool deck free of hazardous obstructions	clause 11 (1) (b)	\$55
369.	Fail to ensure public spa deck free of hazardous	clause 11 (1) (b)	\$55



	obstructions		
370.	Fail to ensure public pool dressing room free of hazardous obstructions	clause 11 (1) (b)	\$55
371.	Fail to ensure public spa dressing room free of hazardous obstructions	clause 11 (1) (b)	\$55
372.	Fail to ensure public pool locker room free of hazardous obstructions	clause 11 (1) (b)	\$55
373.	Fail to ensure public spa locker room free of hazardous obstructions	clause 11 (1) (b)	\$55
374.	Fail to ensure public pool water closet free of hazardous obstructions	clause 11 (1) (b)	\$55
375.	Fail to ensure public spa water closet free of hazardous obstructions	clause 11 (1) (b)	\$55
376.	Fail to ensure public pool showers free of hazardous obstructions	clause 11 (1) (b)	\$55
377.	Fail to ensure public spa showers free of hazardous obstructions	clause 11 (1) (b)	\$55
378.	Fail to ensure connecting corridor appurtenant to public pool free of hazardous obstructions	clause 11 (1) (b)	\$55
379.	Fail to ensure connecting corridor appurtenant to public spa free of hazardous obstructions	clause 11 (1) (b)	\$55
380.	Fail to ensure public pool ventilated to remove odours	clause 11 (1) (c)	\$120
381.	Fail to ensure public spa ventilated to remove odours	clause 11 (1) (c)	\$120
382.	Fail to ensure public pool deck ventilated to remove odours	clause 11 (1) (c)	\$120
383.	Fail to ensure public spa deck ventilated to remove odours	clause 11 (1) (c)	\$120
384.	Fail to ensure public pool dressing room ventilated to remove odours	clause 11 (1) (c)	\$55
385.	Fail to ensure public spa dressing room ventilated to remove odours	clause 11 (1) (c)	\$55
386.	Fail to ensure public pool locker room ventilated to remove odours	clause 11 (1) (c)	\$55
387.	Fail to ensure public spa locker room ventilated to remove odours	clause 11 (1) (c)	\$55
388.	Fail to ensure public pool water closet ventilated to remove odours	clause 11 (1) (c)	\$55
389.	Fail to ensure public spa water closet ventilated to remove odours	clause 11 (1) (c)	\$55
390.	Fail to ensure public pool showers ventilated to remove odours	clause 11 (1) (c)	\$55



391.	Fail to ensure public spa showers ventilated to remove odours	clause 11 (1) (c)	\$55
392.	Fail to ensure connecting corridor appurtenant to public pool ventilated to remove odours	clause 11 (1) (c)	\$55
393.	Fail to ensure connecting corridor appurtenant to public spa ventilated to remove odours	clause 11 (1) (c)	\$55
394.	Fail to ensure toilet paper supply for public pool water closet	subsection 11 (2)	\$55
395.	Fail to ensure toilet paper supply for public spa water closet	subsection 11 (2)	\$55
396.	Operator fail to ensure bathing apparel supplied at public pool cleaned	clause 12 (a)	\$55
397.	Operator fail to ensure bathing apparel supplied at public pool disinfected	clause 12 (a)	\$55
398.	Operator fail to ensure bathing apparel supplied at public pool stored in sanitary manner	clause 12 (a)	\$55
399.	Operator fail to ensure bathing apparel supplied at public spa cleaned	clause 12 (a)	\$55
400.	Operator fail to ensure bathing apparel supplied at public spa disinfected	clause 12 (a)	\$55
401.	Operator fail to ensure bathing apparel supplied at public spa stored in sanitary manner	clause 12 (a)	\$55
402.	Operator fail to ensure towels supplied at public pool cleaned	clause 12 (a)	\$55
403.	Operator fail to ensure towels supplied at public pool disinfected	clause 12 (a)	\$55
404.	Operator fail to ensure towels supplied at public pool stored in sanitary manner	clause 12 (a)	\$55
405.	Operator fail to ensure towels supplied at public spa cleaned	clause 12 (a)	\$55
406.	Operator fail to ensure towels supplied at public spa disinfected	clause 12 (a)	\$55
407.	Operator fail to ensure towels supplied at public spa stored in sanitary manner	clause 12 (a)	\$55
408.	Operator fail to ensure bathing apparel supplied at public pool stored separately from clean apparel	clause 12 (b)	\$55
409.	Operator fail to ensure bathing apparel supplied at public pool stored separately from clean towels	clause 12 (b)	\$55
410.	Operator fail to ensure bathing apparel supplied at public spa stored separately from clean apparel	clause 12 (b)	\$55



Operator fail to anours bothing apparel supplied	olouse 12 (b)	\$55
at public spa stored separately from clean towels	1 ',	
Operator fail to ensure towels supplied at public pool stored separately from clean apparel	clause 12 (b)	\$55
Operator fail to ensure towels supplied at public pool stored separately from clean towels	clause 12 (b)	\$55
Operator fail to ensure towels supplied at public spa stored separately from clean apparel	clause 12 (b)	\$55
Operator fail to ensure towels supplied at public spa stored separately from clean towels	clause 12 (b)	\$55
Where gas chlorinator used in public pool — fail to ensure required respiratory equipment provided	clause 13 (a)	\$465
Where gas chlorinator used in public pool — fail to ensure chlorination equipment operated by person trained in operation of chlorination equipment	clause 13 (b)	\$55
Where gas chlorinator used in public pool — fail to ensure chlorination system automatically ceases to inject chlorine solution whenever circulation system ceases to supply clean water to pool	clause 13 (c)	\$120
Where gas chlorinator used in public pool — fail to ensure every chlorine cylinder on pool premises anchored at all times	clause 13 (d)	\$120
Where gas chlorinator used in public pool — fail to ensure chlorine cylinder valve protection hood fitted in place on cylinder	clause 13 (e)	\$120
Where gas chlorinator used in public pool — fail to ensure wrench for operating chlorine cylinder valve fitted to valve stem of each chlorine cylinder connected to chlorinator	clause 13 (f)	\$120
Where gas chlorinator used in public pool — fail to ensure platform weigh scale not less than 135kg capacity provided for each chlorine cylinder in use	clause 13 (g)	\$120
Where gas chlorinator used in public pool — fail to ensure operator takes all steps necessary to ensure safety of bathers before connecting chlorine cylinder	clause 13 (h)	\$120
Where gas chlorinator used in public pool — fail to ensure operator takes all steps necessary to ensure safety of bathers before disconnecting chlorine cylinder	clause 13 (h)	\$120
	Operator fail to ensure towels supplied at public pool stored separately from clean apparel Operator fail to ensure towels supplied at public pool stored separately from clean towels Operator fail to ensure towels supplied at public spa stored separately from clean apparel Operator fail to ensure towels supplied at public spa stored separately from clean towels Where gas chlorinator used in public pool — fail to ensure required respiratory equipment provided Where gas chlorinator used in public pool — fail to ensure chlorination equipment operated by person trained in operation of chlorination equipment Where gas chlorinator used in public pool — fail to ensure chlorination system automatically ceases to inject chlorine solution whenever circulation system ceases to supply clean water to pool Where gas chlorinator used in public pool — fail to ensure every chlorine cylinder on pool premises anchored at all times Where gas chlorinator used in public pool — fail to ensure chlorine cylinder valve protection hood fitted in place on cylinder Where gas chlorinator used in public pool — fail to ensure wrench for operating chlorine cylinder valve fitted to valve stem of each chlorine cylinder connected to chlorinator Where gas chlorinator used in public pool — fail to ensure platform weigh scale not less than 135kg capacity provided for each chlorine cylinder in use Where gas chlorinator used in public pool — fail to ensure operator takes all steps necessary to ensure safety of bathers before connecting chlorine cylinder Where gas chlorinator used in public pool — fail to ensure operator takes all steps necessary to ensure safety of bathers before disconnecting	at public spa stored separately from clean towels Operator fail to ensure towels supplied at public pool stored separately from clean apparel Operator fail to ensure towels supplied at public pool stored separately from clean towels Operator fail to ensure towels supplied at public spa stored separately from clean apparel Operator fail to ensure towels supplied at public spa stored separately from clean apparel Operator fail to ensure towels supplied at public spa stored separately from clean towels Where gas chlorinator used in public pool — fail to ensure required respiratory equipment provided Where gas chlorinator used in public pool — fail to ensure chlorination equipment operated by person trained in operation of chlorination equipment Where gas chlorinator used in public pool — fail to ensure chlorination system automatically ceases to inject chlorine solution whenever circulation system ceases to supply clean water to pool Where gas chlorinator used in public pool — fail to ensure every chlorine cylinder on pool premises anchored at all times Where gas chlorinator used in public pool — fail to ensure chlorine cylinder valve protection hood fitted in place on cylinder Where gas chlorinator used in public pool — fail to ensure wrench for operating chlorine cylinder valve fitted to valve stem of each chlorine cylinder valve fitted to valve stem of each chlorine cylinder connected to chlorinator Where gas chlorinator used in public pool — fail to ensure platform weigh scale not less than 135kg capacity provided for each chlorine cylinder in use Where gas chlorinator used in public pool — fail to ensure safety of bathers before connecting chlorine cylinder Where gas chlorinator used in public pool — fail to ensure operator takes all steps necessary to ensure safety of bathers before connecting chlorine safety of bathers before disconnecting



425.	Operator fail to ensure platform access gate locked except when platform in use for diving	clause 14 (a)	\$55
426.	Operator fail to ensure pool used solely for diving unless appropriate rigid barrier in place	clause 14 (b)	\$55
427.	Operator fail to ensure pool used solely for diving unless double safety lines supported by buoys in place as required	clause 14 (b)	\$55
428.	Operator fail to ensure activities other than diving effectively confined to area of pool outside separated diving area	clause 14 (b)	\$55
429.	Fail to ensure, in case of Class A pool, easily accessible emergency telephone provided	clause 16 (1) (a)	\$305
430.	Fail to ensure, in case of Class A pool, emergency telephone directly connected to emergency service or local telephone utility provided	clause 16 (1) (a)	\$465
431.	Fail to ensure, in case of Class B pool, telephone for emergency use no farther than 30 m from pool	clause 16 (1) (b)	\$120
432.	Fail to ensure, in case of public spa, land line emergency telephone that connects directly to emergency service or local telephone utility located within 30 m of spa	clause 16 (1) (c)	\$465
433.	Operator fail to ensure emergency telephone required for Class A pool tested to confirm operation before pool opened for use	clause 16 (2) (a)	\$55
434.	Operator fail to ensure emergency telephone required for Class B pool tested to confirm operation before pool opened for use	clause 16 (2) (b)	\$55
435.	Operator fail to ensure emergency telephone required for use in public spa tested to confirm operation before spa opened for use	clause 16 (2) (c)	\$55
436.	Fail to ensure wave action pool equipped with public address system in good working condition	clause 16 (3) (a)	\$55
437.	Fail to ensure wave action pool equipped with public address system clearly audible in all portions of pool	clause 16 (3) (a)	\$55
438.	Fail to ensure wave action pool equipped with communications system in good working condition	clause 16 (3) (b)	\$55
439.	Fail to ensure wave action pool equipped with communications system connected to public address system	clause 16 (3) (b)	\$55



440.	Fail to ensure wave action pool equipped with communications system connected to each lifeguard station	clause 16 (3) (b)	\$55
441.	Fail to ensure wave action pool equipped with communications system connected to first-aid room	clause 16 (3) (b)	\$55
442.	Fail to ensure wave action pool equipped with communications system connected to admission control centre of pool	clause 16 (3) (b)	\$55
443.	Operator fail to ensure public address system used to sound warning sufficiently in advance of commencement of wave activation	subsection 16 (4)	\$305
444.	Fail to ensure water outlet covers of public pool inspected at least once in each 30 day operating period	clause 16.1 (a)	\$55
445.	Fail to ensure water outlet covers of public spa inspected at least once in each 30 day operating period	clause 16.1 (a)	\$55
446.	Fail to ensure gravity outlet covers of public pool inspected at least once in each 30 day operating period	clause 16.1 (a)	\$55
447.	Fail to ensure gravity outlet covers of public spa inspected at least once in each 30 day operating period	clause 16.1 (a)	\$55
448.	Fail to ensure suction covers of public pool inspected at least once in each 30 day operating period	clause 16.1 (a)	\$55
449.	Fail to ensure suction covers of public spa inspected at least once in each 30 day operating period	clause 16.1 (a)	\$55
450.	Fail to ensure public pool closed until loose or missing cover repaired or replaced	clause 16.1 (b)	\$465
451.	Fail to ensure public spa closed until loose or missing cover repaired or replaced	clause 16.1 (b)	\$465
452.	Fail to ensure test buttons associated with ground current leakage detecting devices activated during daily use period of public pool	subclause 16.1 (c) (i)	\$120
453.	Fail to ensure test buttons associated with ground current leakage detecting devices activated during daily use period of public spa	subclause 16.1 (c) (i)	\$120
454.	Fail to ensure test buttons associated with ground current leakage de-energizing devices activated during daily use period of public pool	subclause 16.1 (c) (i)	\$120
455.	Fail to ensure test buttons associated with	subclause 16.1	\$120



	ground current leakage de-energizing devices activated during daily use period of public spa	(c) (i)	
456.	Fail to ensure test buttons associated with ground current leakage detecting devices at public pool tested monthly or according to manufacturer's instructions – whichever is more frequent	subclause 16.1 (c) (ii)	\$120
457.	Fail to ensure test buttons associated with ground current leakage detecting devices at public spa tested monthly or according to manufacturer's instructions – whichever is more frequent	subclause 16.1 (c) (ii)	\$120
458.	Fail to ensure test buttons associated with ground current leakage de-energizing devices at public pool tested monthly or according to manufacturer's instructions – whichever is more frequent	subclause 16.1 (c) (ii)	\$120
459.	Fail to ensure test buttons associated with ground current leakage de-energizing devices at public spa tested monthly or according to manufacturer's instructions – whichever is more frequent	subclause 16.1 (c) (ii)	\$120
460.	Fail to ensure emergency stop button at public pool labelled	clause 16.1 (d)	\$55
461.	Fail to ensure emergency stop button at public pool tested once in each 30 day operating period	clause 16.1 (d)	\$55
462.	Fail to ensure emergency stop button test at public pool recorded once in each 30 day operating period	clause 16.1 (d)	\$55
463.	Fail to ensure operator determines concentration of cyanuric acid not less than once every week in case of public pool where cyanurate stabilization maintained	clause 16.1 (e)	\$55
464.	Fail to ensure emergency stop button at public spa tested at least once in each 30 day operating period	clause 16.1 (f)	\$55
465.	Fail to ensure emergency stop button at public spa inspected at least once in each 30 day operating period	clause 16.1 (f)	\$55
466.	Fail to ensure vacuum release mechanisms at public spa tested at least once in each 30 day operating period	clause 16.1 (f)	\$55
467.	Fail to ensure vacuum release mechanisms at public spa inspected at least once in each 30	clause 16.1 (f)	\$55



	day operating period		
468.	Fail to ensure written record of each inspection required under section 16.1	clause 16.1 (g)	\$55
469.	Fail to ensure written record of each inspection required under section 16.1 signed by person who performed inspection	clause 16.1 (g)	\$55
470.	Fail to ensure written record of each inspection required under section 16.1 retained by owner or operator one year	clause 16.1 (h)	\$55
471.	Fail to ensure written record of each inspection required under section 16.1 kept available for viewing by public health inspector any time	clause 16.1 (h)	\$55
472.	Fail to ensure written emergency procedures at public pool to be implemented in event of emergency	subsection 17 (1)	\$305
473.	Fail to ensure written emergency procedures at public pool to be implemented in event of accident in pool	subsection 17 (1)	\$305
474.	Fail to ensure written emergency procedures at public pool to be implemented in event of injury in pool	subsection 17 (1)	\$305
475.	Fail to ensure written operational procedures at public pool to be implemented in event of emergency	subsection 17 (1)	\$305
476.	Fail to ensure written operational procedures at public pool to be implemented in event of accident in pool	subsection 17 (1)	\$120
477.	Fail to ensure written operational procedures at public pool to be implemented in event of injury in pool	subsection 17 (1)	\$120
478.	Fail to ensure all lifeguards trained in emergency procedures	subsection 17 (1)	\$305
479.	Fail to ensure all assistant lifeguards trained in emergency procedures	subsection 17 (1)	\$305
480.	Fail to ensure all lifeguards trained in operational procedures	subsection 17 (1)	\$120
481.	Fail to ensure all assistant lifeguards trained in operational procedures	subsection 17 (1)	\$120
482.	Fail to ensure required number of lifeguards trained in pool emergency procedures on deck	subsection 17 (2)	\$305
483.	Fail to ensure number of assistant lifeguards does not exceed number of lifeguards	subsection 17 (2)	\$120
484.	Fail to ensure additional trained persons on duty	subsection 17 (4)	\$120



	or on premises and within call where only one		
	lifeguard on duty on deck for Class A pool		
485.	Lifeguard not readily identifiable	subsection 17 (5)	\$55
486.	Assistant lifeguard not readily identifiable	subsection 17 (5)	\$55
487.	Lifeguard — not 16 years of age or older	clause 17 (6) (a)	\$55
488.	Lifeguard — does not hold current lifeguard certificate dated within previous two years	clause 17 (6) (b)	\$305
489.	Lifeguard — current lifeguard certificate or copy not available on pool premises	clause 17 (6) (c)	\$55
490.	Lifeguard — prevent examination of certificate by owner	clause 17 (6) (c)	\$55
491.	Lifeguard — prevent examination of certificate by operator	clause 17 (6) (c)	\$55
492.	Lifeguard — prevent examination of certificate by public health inspector	clause 17 (6) (c)	\$55
493.	Assistant lifeguard — not 16 years of age or older	clause 17 (7) (a)	\$55
494.	Assistant lifeguard — does not hold current assistant lifeguard certificate dated within previous two years	clause 17 (7) (b)	\$305
495.	Assistant lifeguard — current assistant lifeguard certificate or copy not available on premises	clause 17 (7) (c)	\$55
496.	Assistant lifeguard — prevent examination of certificate by owner	clause 17 (7) (c)	\$55
497.	Assistant lifeguard — prevent examination of certificate by operator	clause 17 (7) (c)	\$55
498.	Assistant lifeguard — prevent examination of certificate by public health inspector	clause 17 (7) (c)	\$55
499.	Class A pool — fail to ensure person sixteen years of age or over holds required certificate	subsection 17 (10)	\$55
500.	Class A pool — current lifeguard or first aid certificate or copy not available on premises	subsection 17 (10)	\$55
501.	Class A pool — prevent examination of current lifeguard or first aid certificate by owner	subsection 17 (10)	\$55
502.	Class A pool — prevent examination of current lifeguard or first aid certificate by operator	subsection 17 (10)	\$55
503.	Class A pool — prevent examination of current lifeguard or first aid certificate by public health inspector	subsection 17 (10)	\$55
504.	Wave action pool lifeguard — not 16 years of age or older	clause 17 (12) (a)	\$55
505.	Wave action pool lifeguard — does not hold current lifeguard certificate dated within previous	clause 17 (12) (b)	\$305



	two years		
506.	Wave action pool lifeguard — current lifeguard certificate or copy not available on premises	clause 17 (12) (c)	\$55
507.	Wave action pool lifeguard — prevent examination of current lifeguard certificate by owner	clause 17 (12) (c)	\$55
508.	Wave action pool lifeguard — prevent examination of current lifeguard certificate by operator	clause 17 (12) (c)	\$55
509.	Wave action pool lifeguard — prevent examination of current lifeguard certificate by public health inspector	clause 17 (12) (c)	\$55
510.	Fail to ensure required number of lifeguards trained in emergency procedures for wave action pool with water surface area of 2,800 square metres or less on deck	subsection 17 (13)	\$305
511.	Fail to increase number of lifeguards as required for wave action pool with water surface greater than 2,800 square metres	subsection 17 (14)	\$305
512.	Fail to ensure process in place to ensure supervision of children under 10 incorporates required components	subsection 17 (21)	\$465
513.	Fail to ensure swimming competency test for children under 10 years age at Class A pool	subsection 17 (21)	\$465
514.	Fail to ensure method of communicating process requirements included in supervision process	subsection 17 (21)	\$55
515.	Fail to direct all persons to leave public pool enclosure where safety hazard exists in pool	subsection 18 (1)	\$465
516.	Fail to direct persons to leave public pool enclosure where safety hazard exists on deck	subsection 18 (1)	\$465
517.	Fail to advise operator of existence of safety hazard	subsection 18 (1)	\$305
518.	No black disc 150 mm in diameter on white background available for use in determining water clarity	subsection 18 (2)	\$465
519.	No continuous black markings on bottom 150 mm wide where depth is 0.60 m in modified pool	subsection 18 (3)	\$120
520.	No continuous black markings on bottom 300 mm wide where depth is 1.20 m in modified pool	subsection 18 (3)	\$120
521.	Fail to direct all bathers to leave public pool when required visibility standard not met	section 18.1	\$465
522.	Fail to direct all bathers to leave public spa when required visibility standard not met	section 18.1	\$465



523.	Fail to ensure no bather remains in water after directing all bathers to leave public pool	section 18.1	\$465
524.	Fail to ensure no bather remains in water after directing all bathers to leave public spa	section 18.1	\$465
525.	Fail to prevent bathers from having access to public pool until required visibility standard met	section 18.1	\$465
526.	Fail to prevent bathers from having access to public spa until required visibility standard met	section 18.1	\$465
527.	Fail to ensure notice displayed in two places at public pool that no person infected with communicable disease shall enter the pool	subparagraph 1 i of section 19	\$55
528.	Fail to ensure notice displayed in two places at public pool that no person infected with opens sores on body shall enter pool	subparagraph 1 i of section 19	\$55
529.	Fail to ensure notice displayed in two places at public pool that no person shall bring a glass container on deck	subparagraph 1 ii of section 19	\$55
530.	Fail to ensure notice displayed in two places at public pool that no person shall bring a glass container into pool	subparagraph 1 ii of section 19	\$55
531.	Fail to ensure notice displayed in two places at public pool that no person shall pollute pool water in any manner	subparagraph 1 iii of section 19	\$55
532.	Fail to ensure notice displayed in two places at public pool that no person shall spit in pool	subparagraph 1 iii of section 19	\$55
533.	Fail to ensure notice displayed in two places at public pool that no person shall spit on deck	subparagraph 1 iii of section 19	\$55
534.	Fail to ensure notice displayed in two places at public pool that no person shall spout water in pool	subparagraph 1 iii of section 19	\$55
535.	Fail to ensure notice displayed in two places at public pool that no person shall spout water on deck	subparagraph 1 iii of section 19	\$55
536.	Fail to ensure notice displayed in two places at public pool that no person shall blow nose in pool	subparagraph 1 iii of section 19	\$55
537.	Fail to ensure notice displayed in two places at public pool that no person shall blow nose on deck	subparagraph 1 iii of section 19	\$55
538.	Fail to ensure notice displayed in two places at public pool that no person shall engage in boisterous play in or about pool	subparagraph 1 iv of section 19	\$55
539.	Fail to ensure notice displayed in two places at	subparagraph 1	\$55



	public pool setting out maximum number of bathers permitted on deck	v of section 19	
540.	Fail to ensure notice displayed in two places at public pool setting out maximum number of bathers permitted in pool	subparagraph 1 v of section 19	\$55
541.	Fail to ensure notice displayed in two places at public pool setting out location of emergency telephone	subparagraph 1 vi of section 19	\$120
542.	Fail to ensure required notice displayed at public spa identifying location of emergency telephone in conspicuous location near spa entrance	paragraph 2 of section 19	\$120
543.	Fail to display notice identifying emergency telephone	subparagraph 3 i of section 19	\$120
544.	Fail to list emergency services at emergency telephone	subparagraph 3 i of section 19	\$120
545.	Fail to indicate the service to which the emergency phone is directly connected	subparagraph 3 i of section 19	\$120
546.	Fail to list telephone numbers of emergency services at emergency telephone	subparagraph 3 i of section 19	\$120
547.	Fail to list addresses of emergency services at emergency telephone	subparagraph 3 i of section 19	\$120
548.	Fail to display notice with full name of location at emergency telephone	subparagraph 3 ii of section 19	\$120
549.	Fail to display notice with address of location at emergency telephone	subparagraph 3 ii of section 19	\$120
550.	Fail to display notice with all emergency telephone numbers	subparagraph 3 ii of section 19	\$120
551.	Fail to display notice forbidding spectators from walking on deck within 1.8 m of pool edge	paragraph 4 of section 19	\$55
552.	Fail to display notice forbidding spectators from walking on deck within 1.8 m of spa edge	paragraph 4 of section 19	\$55
553.	Fail to display notice setting out shower requirements at entrance to each shower area used by bathers	paragraph 5 of section 19	\$55
554.	Fail to display notice setting out shower requirements at entrance to deck used by bathers	paragraph 5 of section 19	\$55
555.	Fail to display markings in figures not less than 100 mm high setting out water depths	paragraph 6 of section 19	\$55
556.	Fail to display markings indicating deep points where water exceeds 2,500 mm	paragraph 6 of section 19	\$305
557.	Fail to display markings setting out breaks between gentle and steep bottom slops	paragraph 6 of section 19	\$305



558.	Fail to display markings setting out shallow points	paragraph 6 of section 19	\$305
559.	Fail to display words DEEP AREA at appropriate locations on deck	paragraph 6 of section 19	\$305
560.	Fail to display words SHALLOW AREA at appropriate locations on deck	paragraph 6 of section 19	\$305
561.	Fail to display CAUTION – AVOID DEEP DIVES notice	paragraph 7 of section 19	\$305
562.	Fail to display SHALLOW WATER – NO DIVING notice	paragraph 7 of section 19	\$305
563.	Wave action pool — fail to display notice signifying jumping not permitted in this area	paragraph 8 of section 19	\$305
564.	Wave action pool — fail to display notice signifying diving not permitted in this area	paragraph 8 of section 19	\$305
565.	Wave action pool — fail to affix no jumping or diving sign to wall or barrier supported by posts located one m or less from pool edge	paragraph 8 of section 19	\$305
566.	Wave action pool — fail to display no jumping or diving sign on each deck adjacent to portion of pool where still water depth 2.30 m or less	paragraph 8 of section 19	\$305
567.	Words DANGER – AVOID DEEP OR LONG DIVES not clearly visible to divers at Class B pool equipped with diving board as required	subparagraph 9 i of section 19	\$305
568.	Words DANGER – AVOID DEEP OR LONG DIVES not clearly visible to divers at Class B pool equipped with diving board as required	subparagraph 9 ii of section 19	\$305
569.	Fail to display conspicuous CAUTION – NO DIVING notice on each wall or fence enclosing pool where pool provided with one or more ramps	paragraph 10 of section 19	\$305
570.	Pool with unsubmerged ramp or ramps — failure to post notice stating "UNSUPERVISED BATHERS NOT ALLOWED BEYOND THIS POINT" as required	paragraph 11 of section 19	\$120
571.	Fail to ensure prescribed CAUTION notice posted in conspicuous place at each entrance to public spa	subsection 19.1 (1)	\$55
572.	Fail to include prescribed maximum bather capacity of public spa in required CAUTION notice	subsection 19.1 (2)	\$55
573.	Fail to ensure electrically insulated or non- conducting reaching pole at least 3.65 m long conveniently located for emergency use	clause 20 (1) (a)	\$465



574.	Fail to ensure two buoyant throwing aids with securely attached rope meeting requirements conveniently located for emergency use	clause 20 (1) (b)	\$465
575.	Fail to ensure buoy line conveniently located for emergency use in Class B pool in operation with slope of more than 8 per cent	clause 20 (1) (c)	\$465
576.	Fail to ensure buoyant throwing aid with securely attached rope meeting requirements conveniently located for emergency use in public spa	clause 20 (1) (d)	\$465
577.	Fail to ensure spinal board or device designed for lifting person who may have incurred a spinal injury from pool conveniently located for emergency use	clause 20 (1) (e)	\$465
578.	Fail to ensure spinal board or device designed for lifting person who may have incurred a spinal injury from spa conveniently located for emergency use	clause 20 (1) (e)	\$465
579.	Fail to ensure emergency first aid kit conveniently located for emergency use at public pool	subsection 20 (2)	\$465
580.	Fail to ensure emergency first aid kit conveniently located for emergency use at public spa	subsection 20 (2)	\$465
581.	Fail to ensure current copy of standard first aid manual in first aid kit at public pool	clause 20 (2) (a)	\$55
582.	Fail to ensure current copy of standard first aid manual in first aid kit at public spa	clause 20 (2) (a)	\$55
583.	Fail to ensure safety pins in first aid kit at public pool	clause 20 (2) (b)	\$55
584.	Fail to ensure safety pins in first aid kit at public spa	clause 20 (2) (b)	\$55
585.	Fail to ensure individually wrapped adhesive dressings in first aid kit at public pool	clause 20 (2) (c)	\$55
586.	Fail to ensure individually wrapped adhesive dressings in first aid kit at public spa	clause 20 (2) (c)	\$55
587.	Fail to ensure 75 mm square sterile gauze pads in first aid kit at public pool	clause 20 (2) (d)	\$55
588.	Fail to ensure 75 mm square sterile gauze pads in first aid kit at public spa	clause 20 (2) (d)	\$55
589.	Fail to ensure 50 mm gauze bandages in first aid kit at public pool	clause 20 (2) (e)	\$55
590.	Fail to ensure 50 mm gauze bandages in first aid	clause 20 (2) (e)	\$55

AM

	kit at public spa		· · · · · · · · · · · · · · · · · · ·
591.	Fail to ensure 100 mm gauze bandages in first aid kit at public pool	clause 20 (2) (f)	\$55
592.	Fail to ensure 100 mm gauze bandages in first aid kit at public spa	clause 20 (2) (f)	\$55
593.	Fail to ensure individually wrapped sterile surgical pads suitable for pressure dressings in first aid kit at public pool	clause 20 (2) (g)	\$55
594.	Fail to ensure individually wrapped sterile surgical pads suitable for pressure dressings in first aid kit at public spa	clause 20 (2) (g)	\$55
595.	Fail to ensure triangular bandages in first aid kit at public pool	clause 20 (2) (h)	\$55
596.	Fail to ensure triangular bandages in first aid kit at public spa	clause 20 (2) (h)	\$55
597.	Fail to ensure rolls of splint padding in first aid kit at public pool	clause 20 (2) (i)	\$55
598.	Fail to ensure rolls of splint padding in first aid kit at public spa	clause 20 (2) (i)	\$55
599.	Fail to ensure at least one roll-up splint in first aid kit at public pool	clause 20 (2) (j)	\$55
600.	Fail to ensure at least one roll-up splint in first aid kit at public spa	clause 20 (2) (j)	\$55
601.	Fail to ensure at least one pair of scissors in first aid kit at public pool	clause 20 (2) (k)	\$120
602.	Fail to ensure at least one pair of scissors in first aid kit at public spa	clause 20 (2) (k)	\$120
603.	Fail to ensure non-permeable gloves in first aid kit at public pool	clause 20 (2) (l)	\$55
604.	Fail to ensure non-permeable gloves in first aid kit at public spa	clause 20 (2) (l)	\$55
605.	Fail to ensure resuscitation pocket masks in first aid kit at public pool	clause 20 (2) (m)	\$55
606.	Fail to ensure resuscitation pocket masks in first aid kit at public spa	clause 20 (2) (m)	\$55
607.	Fail to ensure Class A pool equipped with appropriate number of lifeguard control stations	subsection 20 (4)	\$120
608.	Fail to ensure modified pool equipped with lifeguard control stations located along water edge at intervals not exceeding 60 m	subsection 20 (5)	\$120
609.	Fail to ensure wave action pool equipped with two or more lifeguard control stations positioned in appropriate locations on each side of deck	subsection 20 (6)	\$120



	adjacent to deep area		
610.	Lifeguard control station — platform or chair not elevated at least 1.80 m above water surface	clause 20 (7) (a)	\$120
611.	Lifeguard control station — not securely positioned while in use	clause 20 (7) (b)	\$120
612.	Lifeguard control station — not located at side of pool to permit unobstructed view of bottom in surveillance area	clause 20 (7) (b)	\$120
613.	Lifeguard control station — not restricted to exclusive use of lifeguards and assistant lifeguards	clause 20 (7) (c)	\$120
614.	Fail to ensure wave action pool lifeguard control station provided with buoyant rescue aid with securely attached shoulder loop and appropriate rope	clause 20 (8) (a)	\$465
615.	Fail to ensure wave action pool provided with equipment in accordance with jointly approved aquatic first aid requirements	clause 20 (8) (b)	\$465
616.	Fail to ensure wave action pool provided with supplies in accordance with jointly approved aquatic first aid requirements	clause 20 (8) (b)	\$465
617.	Fail to ensure public spa water heater equipped with tamper-proof upper limit cut off switch	section 21	\$120
618.	Fail to ensure tamper-proof upper limit cut off switch limits maximum temperature of public spa water to 40 degrees Celsius	clause 21 (a)	\$305
619.	Fail to ensure tamper-proof upper limit cut off switch independent of public spa's water temperature thermostat	clause 21 (b)	\$120
620.	Fail to ensure public spa containing hydro- massage jet fittings equipped with timing device	subsection 22 (1)	\$305
621.	Fail to ensure timing device controls jet pump operation period	clause 22 (1) (a)	\$120
622.	Fail to ensure timing device can be set to 15 minute maximum	clause 22 (1) (b)	\$120
623.	Fail to ensure timing device placed in location requiring bather to exit spa to reset it	clause 22 (1) (c)	\$120
624.	Fail to ensure required notice posted at timing device identifying it as timing device	subsection 22 (2)	\$55
625.	Fail to ensure public spa suction system equipped with vacuum relief mechanism	section 23	\$465
626.	Vacuum relief mechanism does not include release system, limit system or other appropriate	section 23	\$465



***************************************	system		
627.	Fail to ensure clock installed in conspicuous location viewable from anywhere in public spa	section 24	\$55
628.	Fail to ensure set of steps provided for entry into and exit from public spa equipped with handrail	clause 25 (a)	\$120
629.	Fail to ensure set of steps provided for entry into and exit from public spa have non-slip surface on their treads	clause 25 (b)	\$120
630.	Fail to ensure set of steps provided for entry in and exist from public spa have band of contrasting colour applied along entire juncture of side edges of each step	clause 25 (c)	\$120
631.	Fail to ensure set of steps provided for entry in and exist from public spa have band of contrasting colour applied along entire juncture of top edges of each step	clause 25 (c)	\$120
632.	Fail to ensure all pumps used in operation of public spa capable of being deactivated by emergency stop button	subsection 26 (1)	\$465
633.	Fail to ensure all pumps used in operation of public pool capable of being deactivated by emergency stop button	subsection 26 (1)	\$465
634.	Emergency stop button — not separate from public spa's timing device	clause 26 (1) (a)	\$120
635.	Emergency stop button — not separate from public pool's timing device	clause 26 (1) (a)	\$120
636.	Emergency stop button — not located within immediate vicinity of public spa	clause 26 (1) (b)	\$120
637.	Emergency stop button — not located within immediate vicinity of public pool	clause 26 (1) (b)	\$120
638.	Emergency stop button — does not activate audible signal when used	clause 26 (1) (c)	\$305
639.	Emergency stop button — does not activate visual signal when used	clause 26 (1) (c)	\$305
640.	Fail to ensure prescribed emergency stop button notice posted above emergency stop button at public spa	subsection 26 (2)	\$120
641.	Fail to provide appropriate first aid kit for use in public wading pool	clause 26.3 (a)	\$120
642.	Fail to provide appropriate emergency communication device for use in public wading pool	clause 26.3 (a)	\$465
643.	Fail to provide appropriate emergency	clause 26.3 (a)	\$465



	equipment for use in public wading pool		
644.	Fail to ensure attendant supervision when public wading pool in operation	clause 26.3 (b)	\$465
645.	Fail to ensure required supervision of public wading pool provided in addition to required bathing supervision for public pool	clause 26.3 (b)	\$465
646.	Fail to ensure public spray pad water provided with appropriate filtration approved by M.O.H. or local public health inspector	subsection 26.4 (1)	\$465
647.	Fail to ensure public spray pad water provided with appropriate disinfection approved by M.O.H. or local public health inspector	subsection 26.4 (1)	\$465
648.	Fail to post clearly visible signage in conspicuous place notifying parents or guardians to supervise children at all times when using public spray pad	subsection 26.4 (2)	\$55
649.	Fail to post clearly visible signage in conspicuous place notifying parents or guardians to supervise children at all times when using public splash pad	subsection 26.4 (2)	\$55
650.	Operator fail to record results of inspection of safety related equipment present in the facility at frequency determined by public health inspector	subsection 26.5	\$55

/m

£